



AC600 High Gain Wireless Dual Band USB Adapter



Archer T2U Plus



200Mbps on 2.4GHz
433Mbps on 5GHz



256QAM -
33% faster on 2.4GHz




High Gain - Boost
Wireless Range

Highlights


AC600 Dual Band Wi-Fi

The Archer T2U Plus receives Wi-Fi signals on two separate bands. Supporting 256QAM technology increases 2.4GHz data rate from 150Mbps to 200Mbps for 33% faster performance. Choose the 2.4GHz for surfing and social media, and 5GHz for up to 433Mbps for HD streaming and lag-free gaming.



Increased Range with High Gain Antenna


A high gain antenna reaches your router from farther with more precise directional range, sustaining faster and more stable wireless connections.



Highlights

Adjustable Multi-Directional Antenna

Rotate and adjust the antenna in the multi-direction to improve using experience in different environments.



Features



Speed

- High-Speed Wi-Fi – 200Mbps on 2.4GHz and 433Mbps on 5GHz wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads
- 256QAM Support – Increases the 2.4GHz data rate from 150Mbps to 200Mbps, delivering 33% faster performance
- 802.11ac Support – Wi-Fi technology that is 3 times faster than 802.11n



Coverage

- High-Gain Antenna – A 5dBi high-gain antenna greatly enhances the reception and transmission signal strength of the USB adapter



Reliability

- Dual Band – 2.4GHz and 5GHz band provide flexible connectivity, giving your devices access to the latest dual-band Wi-Fi router for faster speed and extended range
- Backwards Compatibility – Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards



Ease of Use

- Easy Installation – A friendly user interface utility on a CD for simple installation



Security

- Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats

Specifications

Wireless

- Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- Frequency: 2.4GHz, 5GHz
- Wireless Mode: Ad-Hoc / Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/ WPA2-PSK
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM

Hardware

- Interface: USB 2.0
- LED: Status
- Antenna: 1 External High Gain 5dBi Antenna
- Dimensions (when the antenna is vertical): 2.28×0.71×6.83 in (57.8 × 18 × 173.4mm)

Others

- Package Contents
 - AC600 High Gain Wireless Dual Band USB Adapter
 - Quick Installation Guide
 - Resource CD
- Certification
 - FCC, CE, RoHS
- System Requirements
 - Windows10/8.1/8/7/XP, Mac OS X 10.9-10.14
- Environment
 - Operating Temperature: 0℃~40℃ (32°F ~104°F)
 - Storage Temperature: -40℃~70℃ (-40°F ~158°F)
 - Operating Humidity: 10%~90% non-condensing
 - Storage Humidity: 5%~90% non-condensing



Mac
Support



For more information, please visit
<https://www.tp-link.com/en/products/details/Archer-T2U-Plus.html>
or scan the QR code left

©2019 TP-Link
*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.
*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at [tp-link.com/en/download-center](https://www.tp-link.com/en/download-center).